

Hansin



商業照明系列



Commerce Lighting

HQI DOWNLIGHTS

Hansin
Lighting




- Operating Voltage: 220-240V/50 Hz
- Halogen: 50W, 75W, 100W
- Halide: 35W, 70W
- Material: Die Casting Aluminium



XT2260

HQI DOWNLIGHTS


HQI DOWNLIGHTS



- Operating Voltage: 220-240V/50Hz
- Max Watt: 150W
- Lamp: Double Ended Metal Halide
70W, 150W/ G12
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP 44
- Packing: 55x45x41 cm / 4 pcs
- G.W.: 15 Kgs/ctn




XT2204



- Operating Voltage: 220-240V/50Hz
- Max Watt: 150W
- Lamp: Double Ended Metal Halide
70W, 150W/ G12
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP 44
- Packing: 54x37x48 cm / 6 pcs
- G.W.: 16 Kgs/ctn




XT2205



- Operating Voltage: 220-240V/50Hz
- Max Watt: 150W
- Lamp: Double Ended Metal Halide
70W, 150W/ G12
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP 23
- Packing: 54x37x48 cm / 6 pcs
- G.W.: 16 Kgs/ctn



XT2205A




- Operating Voltage: 220-240V/50Hz
- Max Watt: 150W
- Lamp: Double Ended Metal Halide
70W, 150W/ G12
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP 23
- Packing: 59.5x27.5x24.5 cm / 3 pcs
- G.W.: 18.16 Kgs/ctn




XT2219


HQI DOWNLIGHTS




- Operating Voltage: 220-240V/50Hz
- Max Watt: 150W
- Lamp: Double Ended Metal Halide
70W, 150W/Rx75 or G12
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP 44
- Packing: 37x37x40 cm / 4 pcs
- G.W.: 13.5 Kgs/ctn



- Operating Voltage: 220-240V/50Hz
- Max Watt: 150W
- Lamp: Double Ended Metal Halide
70W, 150W/Rx75 or G12
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP 44
- Packing: 42x42x55 cm / 8 pcs
- G.W.: 19.6 Kgs/ctn




- Operating Voltage: 220-240V/50Hz
- Max Watt: 150W
- Lamp: Double Ended Metal Halide
70W, 150W/Rx75
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP 23
- Packing: 46x40x38 cm / 6 pcs
- G.W.: 14 Kgs/ctn




- Operating Voltage: 220-240V/50Hz
- Max Watt: 150W
- Lamp: Double Ended Metal Halide
70W, 150W/Rx75
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP 23
- Packing: 52x34.5x50 cm / 6 pcs
- G.W.: 15 Kgs/ctn




HQI DOWNLIGHTS




- Operating Voltage: 220-240V / 50Hz
- Lamp: P2x13W G24
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 6.5x6.5x3.3cm 12 pcs
- G.W.: 18.3 Kg / ctn




- Operating Voltage: 220-240V / 50Hz
- Lamp: P2x26W G24
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 6.5x4.75x4.3cm 12 pcs
- G.W.: 13.5 Kg / ctn




- Operating Voltage: 220-240V / 50Hz
- Lamp: P2x26W G24
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 7.5x4.75x4.3cm 12 pcs
- G.W.: 13.5 Kg / ctn




- Operating Voltage: 220-240V / 50Hz
- Lamp: P2x26W G24
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 4.75x4.75x4.3cm 12 pcs
- G.W.: 13.5 Kg / ctn




- Operating Voltage: 220-240V / 50Hz
- Lamp: P2x26W G24
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 4.75x4.75x4.3cm 12 pcs
- G.W.: 13.5 Kg / ctn



- Operating Voltage: 220-240V / 50Hz
- Lamp: P2x26W G24
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 4.75x4.75x4.3cm 12 pcs
- G.W.: 13.5 Kg / ctn




- Operating Voltage: 220-240V / 50Hz
- Lamp: MR 70W R7s
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 6.5x6.5x3.3cm 20 pcs
- G.W.: 18.5 Kg / ctn




- Operating Voltage: 220-240V / 50Hz
- Lamp: MR 70W/150W R7s
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 4.75x4.75x4.3cm 12 pcs
- G.W.: 13.5 Kg / ctn

HQI DOWNLIGHTS



Hansin
Lighting




- Operating voltage: 220-240V/50Hz
- Lamp: MH 70W/150W R7s
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 5 \times 25 \times 43 cm/12 pcs
- G.W.: 1.3 Kg/ctn




- Operating voltage: 220-240V/50Hz
- Lamp: MH 70W/150W R7s
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 20 \times 46 \times 27 cm/20 pcs
- G.W.: 1.8 Kg/ctn



- Operating voltage: 220-240V/50Hz
- Lamp: MH 70W/150W R7s
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 38 \times 46 \times 35.5 cm/20 pcs
- G.W.: 2.2 Kg/ctn




- Operating voltage: 220-240V/50Hz
- Max. Watt: 250W
- Lamp: MH 70W/150W R7s
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP20
- Packing: 71 \times 25.5 \times 8.5 cm/10 pcs
- G.W.: 1.4 Kg



- Operating voltage: 220-240V/50Hz
- Lamp: MH 70W/150W R7s
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium
- Finishes: White, Black, Gold, Chrome, Matted Chrome
- IP Rating: IP20
- Packing: 8 \times 31.3 \times 1 cm/10 pcs
- G.W.: 1.6 Kg/ctn



HQI DOWNLIGHTS




- Version: R₇₅ HQI 70W
G12 HQI 70W-150W
- Material: Aluminium Die-cast Housing
Tempered GL
Aluminium Reflector



XT2210




HQI DOWNLIGHTS



- Version: R₇₅ HQI 70W
G12 HQI 70W-150W
- Material: Aluminium Die-cast Housing
Tempered GL
Aluminium Reflector




XT2211



- Version: G12 70W-150W HQI G53
- Material: Aluminium Die-cast Housing
Tempered GL
Aluminium Reflector



XT2212




- Version: BD22 100W
G12 HQI 70W
G9 100W
- Material: Aluminium Die-cast Housing
Tempered GL
Aluminium Reflector

XT2215





XT2213




- Version: MR16 - 12V 50W
- Material: Aluminium Die-cast Housing
Tempered GL
Aluminium Reflector



XT2214




- Version: MR16 - 12V 50W
- Material: Aluminium Die-cast Housing
Tempered GL
Aluminium Reflector



- Operating Voltage: 110-130V/60 Hz,
220-240V/50 Hz
- Lampholder: E26, E27
- Max: 100W (PAR30)
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 20
- Packing: 46.5x38.5x62.5 cm/40 pcs
- G.W.: 18/16 Kgs/cm



XTP30A




- Operating Voltage: 110-130V/60 Hz,
220-240V/50 Hz
- Lampholder: E26, E27
- Max: 100W (PAR30)
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 20
- Packing: 46.5x38.5x62.5 cm/40 pcs
- G.W.: 18/16 Kgs/cm



XTP30B



XT2251




- Operating Voltage: 220-240V/50 Hz
- Lamp holder: GX5.3
- Max: 50W/12V (MR16)
- Material: steel
- Finishes: White, Black, Gold, Chrome
- IP Rating: IP 20



XT2252G



XT2252W




- Operating Voltage: 220-240V/50 Hz
- Lamp holder: GX5.3
- Max: 50W/12V (MR16)
- Material: steel
- Finishes: White, Black, Gold, Chrome
- IP Rating: IP 20



XT2253G




XT2253W



- Operating Voltage: 220-240V/50 Hz
- Lamp holder: GX5.3
- Max: 50W/12V (MR16)
- Material: steel
- Finishes: White, Black, Gold, Chrome
- IP Rating: IP 20






XT2254 G



XT2256 A




- Operating Voltage: 220-240V/50 Hz
- Lamp holder: G5.3
- Max: 30W/12V (MR11)
- Material: steel
- Finishes: White, Black, Gold, Chrome
- IP Rating: IP20



- Operating Voltage: 220-240V/50 Hz
- Lamp holder: G5.3
- Max: 30W/12V (MR11)
- Material: steel
- Finishes: White, Black, Gold, Chrome
- IP Rating: IP20


DOWNLIGHTS



XT2254 W




XT2256 B



- Operating Voltage: 220-240V/50 Hz
- Lamp holder: G5.3
- Max: 30W/12V (MR11)
- Material: steel
- Finishes: White, Black, Gold, Chrome
- IP Rating: IP20




- Operating Voltage: 220-240V/50 Hz
- Lamp holder: G5.3
- Max: 30W/12V (MR11)
- Material: steel
- Finishes: White, Black, Gold, Chrome
- IP Rating: IP20



XT2255 W



XT2256 C



- Operating Voltage: 220-240V/50 Hz
- Lamp holder: G5.3
- Max: 30W/12V (MR11)
- Material: steel
- Finishes: White, Black, Gold, Chrome
- IP Rating: IP20



- Operating Voltage: 220-240V/50 Hz
- Lamp holder: G5.3
- Max: 30W/12V (MR11)
- Material: steel
- Finishes: White, Black, Gold, Chrome
- IP Rating: IP20