



通用照明系列

*Universal illumination series*

# METAL HALIDE LAMP

**Hansin**  
Lighting



METAL HALIDE LAMP

XT2129 250W/400W

XT2128 250W/400W




## XT2128

- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: MH250-400W/E40, HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: pcs

## XT2129

- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: HQI250-400W/Rx7S
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: pcs









- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: MH400W / E40
- Material: Die Casting Aluminium
- Finishes: White, Black, Grey
- IP Rating: IP 65
- Packing: 70x64x24 cm / 1 pcs

XT2123B-1 400W

XT2123B 400W

H.I.D.FLOOD LIGHTS





- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 1000W
- Lamp: MH1000W / E40
- Material: Die Casting Aluminium
- Finishes: White, Black, Grey
- IP Rating: IP 65
- Packing: 70x64x24 cm / 1 pcs

XT2123-1 1000W

XT2123 1000W




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 2x400W
- Lamp: MH2x400W / E40
- Material: Die Casting Aluminium
- Finishes: White, Black, Grey
- IP Rating: IP 65
- Packing: 70x64x24 cm / 1 pcs

XT2123A 2x400W






XT2124 2000W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Lamp: HPS 1800-2000W E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 62x53x30 cm / 1 pcs




XT2125A 2000W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Lamp: HPS 1800-2000W E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 70x60x25.5 cm / 1 pcs




XT2125B 2x1000W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Lamp: 2x1000W HPS E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 70x60x25.5 cm / 1 pcs




XT2107 1000W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 1000W
- Lamp: MH1000W E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 61x51x22 cm / 1 pcs






- Operating Voltage: 110-130V/60 Hz, 220-240V/50 Hz
- Lamp: HPS 1800-2000W/ E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 1.5x53.5x32.5 cm / 1pc




XT2126 2000W



- Operating Voltage: 110-130V/60 Hz, 220-240V/50 Hz
- Max Watt: 1000W
- Lamp: MH1000W / E40
- Material: Die Casting Aluminium
- Finishes: White, Black, Grey
- IP Rating: IP 65
- Packing: 1x51x19.5 cm / 1pc


XT2127 1000W






XT2109-150W

- Operating Voltage:110-130V/60Hz, 220-240V/50 Hz
- Max Watt:150W
- Lamp:MH150W/E27
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing:41x29x28cm/1 pcs




XT2109-400W

- Operating Voltage:110-130V/60Hz, 220-240V/50 Hz
- Max Watt:400W
- Lamp:MH250-400W/E40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing:52x42x38cm/1 pcs



XT2109-1000W

- Operating Voltage:110-130V/60Hz, 220-240V/50 Hz
- Max Watt:1000W
- Lamp:MH1000W/E40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing:Diffuser:58x57.5x33.5 cm/1 pcs  
Gear Box:49x28x24 cm/1 pcs




XT2109-2000W

- Operating Voltage:110-130V/60Hz, 220-240V/50 Hz
- Max Watt:2000W
- Lamp:MH2000W/E40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing:Diffuser:58x57.5x33.5 cm/1 pcs  
Gear Box:49x28x24 cm/1 pcs






XT2110-150W



- Operating Voltage:110-130V/60Hz, 220-240V/50Hz
- Max Watt:150W
- Lamp :MH70-150W/E27
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65




XT2110-400W



- Operating Voltage:110-130V/60Hz, 220-240V/50Hz
- Max Watt:400W
- Lamp:MH250-400W/E40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65




XT2110-1000W



- Operating Voltage:110-130V/60Hz, 220-240V/50Hz
- Max Watt:1000W
- Lamp:MH1000W/E40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65




XT2111-400W



- Operating Voltage:110-130V/60Hz, 220-240V/50Hz
- Max Watt:400W
- Lamp:MH250-400W/E40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65



XT2111-1000W



- Operating Voltage:110-130V/60Hz, 220-240V/50Hz
- Max Watt:1000W
- Lamp:MH1000W/E40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65



# H.I.D.FLOOD LIGHTS

**Hansin**  
Lighting




XT2140B 400W



XT2140A 400W

H.I.D.FLOOD LIGHTS




- Operating Voltage: 110-130V/60 Hz, 220-240V/50 Hz
- Max. Watt: 400W
- Lamp: MH400W HPS250/WE40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 41x33.5x29.5 cm 1 pcs





# H.I.D. FLOOD LIGHTS

**Hansin**  
Lighting




XT2170 400W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max. Watt: 400W
- Lamp: MH250-400W/E40, HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65


H.I.D. FLOOD LIGHTS




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max. Watt: 150W
- Lamp: MH70-150W/Px75, HP S150W/E27
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65



XT2138 150W




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: MH250-400W/E40, HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 52.5x42x18cm/1 pcs



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 150W
- Lamp: HG170-150W/E27
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 66.5x31.5x43cm/5 pcs


XT2121A 150W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 150W
- Lamp: MH70-150W/E27, HPS150W/E27
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 66.5x31.5x43cm/5 pcs

XT2121B 150W





- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt:150W
- Lamp:MH70-150W/E27, HPS150W/E27
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing: 42X31.5X12.5cm/1 pcs



XT2132-150W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt:250W
- Lamp:MH250W/E40, HPS250W/E40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing: 46x38x14.5cm/1 pcs



XT2132-250W




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt:400W
- Lamp:MH400W/E40, HPS250W/E40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing: 55x44x18 cm/1 pcs




XT2132-400W






- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: MH250-400W/E40, HP 250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 42.5x15x50 cm / 1 pc




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: MH250-400W/E40, HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 48x17x45 cm / 1 pc




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: MH250-400 HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 48x43x25 cm / 1 pc



# H.I.D.FLOOD LIGHTS




**Hansin**  
Lighting



- Operating Voltage: 110-130V/60 Hz, 220-240V/50 Hz
- Max Watt: 400W
- Lamp: MH250-400W/E40, HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 48x18x49 cm/1 pcs



**XT2102 400W**



- Operating Voltage: 110-130V/60 Hz, 220-240V/50 Hz
- Max Watt: 150W
- Lamp: MH150/E27, HPS150W/E27
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 75x38x39 cm/4 pcs




**XT2104 150W**


H.I.D.FLOOD LIGHTS

# H.I.D.FLOOD LIGHTS

**Hansin**  
Lighting



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: MH250-400W/E40 HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 47x45x44.5cm/3 pcs



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: MH250-400W/E40 HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 47x45x44.5cm/3 pcs

H.I.D.FLOOD LIGHTS




# H.I.D.FLOOD LIGHTS

**Hansin**  
Lighting



XT2105 70W/150W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max. Watt: 150W
- Lamp: HQD-150W/R75
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 50x27x18 cm/5pcs

H.I.D.FLOOD LIGHTS



XT2108 250W/400W




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max. Watt: 400W
- Lamp: MH250-400W/E40, HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 44.5x15.5x60 cm/1pcs



- Operating Voltage: 110-130V/60 Hz, 220-240V/50 Hz
- Max Watt: 150W
- Lamp: MH70-150W/R7S, HPS150W/E27
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 59x29x43 cm/4 pcs




XT2106 150W



- Operating Voltage: 110-130V/60 Hz, 220-240V/50 Hz
- Max Watt: 150W
- Lamp: H670-150W/R7S
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 61x42x35 cm/4 pcs



XT2135A 150W



- Operating Voltage: 110-130V/60 Hz, 220-240V/50 Hz
- Max Watt: 150W
- Lamp: H670-150W/R7S
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 61x42x35 cm/4 pcs




XT2135B 150W

H.I.D.FLOOD LIGHTS








- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt:150W
- Lamp:MH70-150W E27, HPS150W E27
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing: 62x32x44cm/6 pcs




XT2120A 70W/150W



XT2136 150W



- Operating Voltage:110-130V/60Hz, 220-240V/50Hz
- Max Watt:150W
- Lamp:MH70-150W/R7S, HPS150W E27
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing:64.5x25.5x47cm/4 pcs




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt:150W
- Lamp:MH70-150W/R7S
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing: 62x32x44 cm/6 pcs




XT2120B 70W/150W



XT2137 400W




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt:400W
- Lamp:MH400W HPS250/WE40
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing:41x33.5x29.5 cm/1 pcs



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt:150W
- Lamp:MH70-150W E27, HPS150W E27
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing: 62x32x44 cm/6 pcs



XT2120C 70W/150W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt:150W
- Lamp:MH70-150W E27, HPS150W E27
- Material:Die Casting Aluminium
- Finishes:White, Black
- IP Rating:IP 65
- Packing: 62x32x44 cm/6 pcs




XT2120D 70W/150W



# H.I.D.FLOOD LIGHTS


**Hansin**  
Lighting



- Operating Voltage: 110-130V/60 Hz,  
220-240V/50Hz
- Max Watt: 400W
- Lamp: MH250-400W/E40, HPS250W/E40
- Material: Die Casting Aluminium
- Finishes: White, Black
- IP Rating: IP 65

XT2175 400W


H.I.D.FLOOD LIGHTS



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 100W
- Lamp: MH70W HPS100W/E26, E27
- Material: Die Casting Aluminium (Body)  
Borosilicate Glass Lens (Diffused)
- Finishes: Brown
- IP Rating: IP 65
- Packing: 72x28x4.9 cm/6 pcs




XT2171 100W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 175W
- Lamp: MH175W HPS150W/E26, E27
- Material: Die Casting Aluminium (Body)  
Borosilicate Glass Lens (Diffused)
- Finishes: Brown
- IP Rating: IP 65
- Packing: 77x25.5x4.3cm/4 pcs




XT2172 175W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 250W
- Lamp: MH250W HPS250W/E39, E40
- Material: Die Casting Aluminium (Body)  
Borosilicate Glass Lens (Diffused)
- Finishes: Brown
- IP Rating: IP 65
- Packing: 47x25.5x2.7cm/1 pcs



XT2173 250W




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 400W
- Lamp: MH400W HPS400W/E39, E40
- Material: Die Casting Aluminium (Body)  
Borosilicate Glass Lens (Diffused)
- Finishes: Brown
- IP Rating: IP 65
- Packing: 47x25.5x3.5cm/1 pcs



XT2174 400W






PC020 70W


PC021 150W

H.I.D.FLOOD LIGHTS



PC020

- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 100W
- Lamp: MH70W, HPS100, E26
- Material: Die Casting Aluminium (Body)  
Polycarbonate+UV (Diffused)
- Finishes: Brown
- IP Rating: IP 55
- Packing: 32x62x41cm/4 pcs



PC021


- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 175W
- Lamp: MH175W, HPS150, E26
- Material: Die Casting Aluminium (Body)  
Polycarbonate+UV (Diffused)
- Finishes: Brown
- IP Rating: IP 55
- Packing: 40x79x46cm/4 pcs






PC023A 175W


PC023 175W




- PC023 A**
- Operating Voltage: 110-130V/60 Hz, 220-240V/50Hz
  - Max. Watt: 175W
  - Lamp: MH175W/ E26, E27, HP5150/ E26, E27
  - Material: Plastic (Body)  
Polycarbonate+UV (Diffuser)
  - Finishes: Brown
  - IP Rating: IP 55
  - Packing: 57x39x29 cm/4pcs




- PC023**
- Operating Voltage: 110-130V/60 Hz, 220-240V/50Hz
  - Max. Watt: 175W
  - Lamp: MH175W/ E26, E27, HP5150/ E26, E27
  - Material: Plastic (Body)  
Polycarbonate+UV (Diffuser)
  - Finishes: Brown
  - IP Rating: IP 55
  - Packing: 57x39x29 cm/4pcs



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 175W
- Lamp: MH175W/E26, E27, HP5150/E26, E27
- Material: Plastic (Body)  
Polycarbonate+UV (Diffuse)
- Finishes: Brown
- IP Rating: IP 55




PC074




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 175W
- Lamp: MH175W/E26, E27, HP5150/E26, E27
- Material: Plastic (Body)  
Polycarbonate+UV (Diffuse)
- Finishes: Brown
- IP Rating: IP 55

PC071



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 70W
- Lamp: HP 570W/E26, E27
- Material: Die Casting Aluminium (Bottom Body) Polycarbonate+UV (Diffuse)
- Photoelectric Control is optional
- Finishes: Brown
- IP Rating: IP 55
- Packing: 74x30.5x39 cm/10 pcs

PC072




- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 70W
- Lamp: HP570W/E26, E27
- Material: Die Casting Aluminium (Body) Polycarbonate+UV (Diffuse)
- Finishes: Brown
- IP Rating: IP 55
- Packing: 48.5x33x29.5 cm/18 pcs

PC073






PC070 70W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 70W
- Lamp: MH70W / E27
- Material: Plastic
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 83.5x33x46 cm / 6 pcs



PC026 2x26W



- Operating Voltage: 110-130V/60Hz, 220-240V/50Hz
- Max Watt: 2x26W
- Lamp: 2x26W G24-d-3
- Material: Plastic
- Finishes: White, Black
- IP Rating: IP 65
- Packing: 83.5x33x46 cm / 6 pcs




# FLUORESCENT FITTINGS

**Hansin**  
Lighting

- Operating Voltage: 220V-240/150Hz
- Material: Body-ABS  
Diffuser-PS or Polycarbonate+UV
- IP Rating: IP65

Model	No.h	Max Watt	Lamp	Dimension	Packing
XT118	1X18W	T8	67.5X10.2X10cm	10pcs/ctn	(69.5x23.5x38cm)
XT136	1X36W	T8	128x10.2x10cm	6pcs/ctn	(130x23.5x24cm)
XT158	1X58W	T8	158x10.2x10cm	6pcs/ctn	(160x23.5x24cm)
XT218	2X18W	2XT8	67.5x16.2x10cm	8pcs/ctn	(69.5x35.5x31cm)
XT236	2X36W	2XT8	128x16.2x10cm	4pcs/ctn	(130x18.5x31cm)
XT258	2X58W	2XT8	158x16.2x10cm	4pcs/ctn	(160x18.5x31cm)






Material: Steel  
 Finishes: black, white  
 Packing: 15 pc/ctr(30x23x39 cm)  
 G.W: 10 KGS




XT04A



XT04B



Material: Steel  
 Finishes: black, white  
 Packing: 15 pc/ctr(30x23x39 cm)  
 G.W: 10 KGS




Material: Die-Casting Aluminium  
 Max: 400W  
 Protection standard: IP 65  
 Colour: black, silver, grey  
 Packing: 4 pc/ctr(42x31.5x35.5 cm)  
 G.W: 10 KGS




XT10 1000W



XT11 1000W



Material: Die-Casting Aluminium  
 Max: 200W  
 Protection standard: IP 65  
 Colour: black, silver, grey  
 Packing: 1 pc/ctr(42x28x20 cm)  
 G.W:




Material: Die-Casting Aluminium  
 Max: 1000W  
 Protection standard: IP 65  
 Colour: black, silver, grey  
 Packing: 1 pc/ctr(42x28x20 cm)  
 G.W: 4 KGS



XT12 1000W


CONTROL GEAR BOX





Material: Die-Casting Aluminium  
 Max: 2000W/2x1000W  
 Protection standard: IP 65  
 Colour: black, silver, grey  
 Packing: 1 pc/ctn (42x28x20 cm)  
 G.W:


XT13 2000W



Material: Die-Casting Aluminium  
 Max: 2000W  
 Protection standard: IP 65  
 Colour: black, silver, grey  
 Packing: 1 pc/ctn (49x29x21 cm)  
 G.W:




XT14 2000W



Material: Die-Casting Aluminium  
 Max: 150W  
 Protection standard: IP 65  
 Colour: black, silver, grey  
 Packing: 1 pc/ctn (41.5x27.8x20.8 cm)


XT16A 150W



Material: Die-Casting Aluminium  
 Max: 400W  
 Protection standard: IP 65  
 Colour: black, silver, grey  
 Packing: 1 pc/ctn (41.5x27.8x20.8 cm)



XT16B 400W



Material: Die-Casting Aluminium  
 Max: 2000W  
 Protection standard: IP 65  
 Colour: black, silver, grey  
 Packing: 1 pc/ctn (42x28x20 cm)

XT16C 2000W