




庭園照明系列

*Courtyard illumination series*



PC074 175W



- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 175W
- Material: Die Casting Aluminium
- IP Rating: IP44




PC074-1

PC074-2

PC074-3




XT4001 60W



- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 60W
- Material: Die Casting Aluminium
- IP Rating: IP44
- Packing: 26x19x122cm/1 pcs



XT4002 60W




- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 2x60W
- Material: Die Casting Aluminium
- IP Rating: IP44
- Packing: 26x19x122cm/1 pcs




# GARDEN LIGHTS

**Hansin**  
Lighting




- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 60W
- Material: Stainless steel
- IP Rating: IP44

XT4010




- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 60W
- Material: Stainless steel
- IP Rating: IP44

XT4011



- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 60W
- Material: Stainless steel
- IP Rating: IP44

XT4012



- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 60W
- Material: Stainless steel
- IP Rating: IP44

XT4013



GARDEN LIGHTS


# GARDEN LIGHTS

**Hansin**  
Lighting




XT3001A

XT3001B




XT3001B

- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 60W
- Material: Steel
- IP Rating: IP33
- Packing: 58.5x30x44 cm / 6 pcs




XT3001A

- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 60W
- Material: Copper
- IP Rating: IP33
- Packing: 58.5x30x44 cm / 6 pcs



XT3002A

- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 60W
- Material: Copper
- IP Rating: IP33
- Packing: 43x43x95 cm / 4 pcs




XT3002B



- Operating Voltage: 220-240V/50 Hz
- Max. Watt: 60W
- Material: Copper
- IP Rating: IP33
- Packing: 43x43x95 cm / 4 pcs

# INGROUND LIGHTS

**Hansin**  
Lighting



- Operating Voltage:12V
- Lamp:PAR30 12V 100W or PAR30 220V 100W
- Material:Stainless Steel
- IP Rating:IP 65




- Operating Voltage:12V
- Lamp:PAR30 12V 100W or PAR30 220V 100W
- Material:Stainless Steel
- IP Rating:IP 65



- Operating Voltage:12V
- Lamp:PAR30 12V 100W or PAR30 220V 100W
- Material:Stainless Steel
- IP Rating:IP 65



XT2340A



- Operating Voltage:12V
- Lamp:PAR30 12V 100W or PAR30 220V 100W
- Material:Stainless Steel
- IP Rating:IP 65

INGROUND LIGHTS

# INGROUND LIGHTS


**Hansin**  
Lighting




- Lamp: 12V 50W MR16 or 220V 50W GU10
- Material: Stainless Steel Frame  
Aluminum Die-Casting Body
- Finishes: White, Black, Grey
- IP Rating: IP55
- Packing: 20 pcs / chr 5 1/2 1x41cm
- G.W: 20kg / chr




- Lamp: 12V 50W MR16 or 220V 50W GU10
- Material: Stainless Steel Frame  
Aluminum Die-Casting Body
- Finishes: White, Black, Grey
- IP Rating: IP55
- Packing: 20 pcs / chr 5 1/2 1x41cm
- G.W: 22kg / chr



- Lamp: 12V 50W MR16 or 220V 50W GU10
  - Material: Stainless Steel Frame  
Aluminum Die-Casting Body
  - Finishes: White, Black, Grey
  - IP Rating: IP55
  - Packing: 20 pcs / chr 52x22x41cm
  - G.W: 18kg / chr




- Lamp: 12V 50W MR16 or 220V 50W GU10
  - Material: Stainless Steel Frame  
Aluminum Die-Casting Body
  - Finishes: White, Black, Grey
  - IP Rating: IP55
  - Packing: 20 pcs / chr 52x22x41cm
  - G.W: 19.5kg / chr

INGROUND LIGHTS

# INGROUND LIGHTS

**Hansin**  
Lighting



- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65




XT2310 150W



XT2320 70W

- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65



- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65




XT2310A 150W




XT2320A 70W

- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65



- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65



XT2310B 150W




XT2320B 70W

- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65

INGROUND LIGHTS

# INGROUND LIGHTS


**Hansin**  
Lighting



- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65




XT2310C 150W



XT2320C 70W

- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65

INGROUND LIGHTS



- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65




XT2310D 150W



XT2320D 70W

- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65



- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65




XT2310E 150W






XT2320E 70W

- Material: Stainless Steel  
Plastic Recessed Sleeve
- Finishes: White, Black, Grey
- IP Rating: IP65






- Operating Voltage: 110-130V/50 Hz, 220-240V/50 Hz
- Lampholder: G5.3
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium Body / Polycarbonate+UV cover
- Max: 20W
- IP Rating: IP 54

- Operating Voltage: 110-130V/50 Hz, 220-240V/50 Hz
- Lampholder: G5.3
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium Body / Polycarbonate+UV cover
- Max: 20W
- IP Rating: IP 54

- Operating Voltage: 110-130V/50 Hz, 220-240V/50 Hz
- Lampholder: G5.3
- Reflector: Mirror Finishing
- Material: Die Casting Aluminium Body / Polycarbonate+UV cover
- Max: 20W
- IP Rating: IP 54



WATET PROOF LIGHTS




XT2623



XT2624




XT2625



- Material: Die Casting Aluminium
- Lamp: MH60W
- Color: White, Black
- IP Rating: IP 54

**UNDER WATER LIGHTS  
INGROUND LIGHTS**

**Hansin**  
Lighting




Lamp: PAR56 12V 300W  
Material: Plastic  
IP Rating: IP65  
Packing: 2 pc/ctn(35x35x26 cm)  
G.W.: 4kg/ctn

XT2519



Lamp: PAR38 24V 80W E27  
Material: Stainless Steel  
IP Rating: IP65  
Packing: 8 pc/ctn(33x33x50 cm)  
G.W.: 15 kg/ctn


XT2518




UNDER WATER LIGHTS

# UNDER WATER LIGHTS INGROUND LIGHTS


**Hansin**  
Lighting



- Operating Voltage: 12V
- Lamp: PAR20 12V 50W or MR16 GU10
- Material: Stainless Steel
- IP Rating: IP 65
- Packing: 33x23x28 cm / 2 pcs




- Operating Voltage: 12V
- Lamp: PAR20 12V 50W or MR16 GU10
- Material: Stainless Steel
- IP Rating: IP 65
- Packing: 33x23x33 cm / 12 pcs



- Operating Voltage: 12V
- Lamp: PAR20 12V 50W or MR16 GU10
- Material: Stainless Steel
- IP Rating: IP 65
- Packing: 33x23x35 cm / 12 pcs



XT2515B




- Operating Voltage: 12V
- Lamp: PAR20 12V 50W or MR16 GU10
- Material: Stainless Steel
- IP Rating: IP 65
- Packing: 33x23x37 cm / 12 pcs


UNDER WATER LIGHTS

# UNDER WATER LIGHTS INGROUND LIGHTS


**Hansin**  
Lighting



- Operating Voltage:12V
- Lamp:PAR30 12V 100W or PAR30 220V 100W
- Material:Stainless Steel
- IP Rating:IP 65
- Packing:42x28x15cm/6 pcs




- Operating Voltage:12V
- Lamp:PAR36 12V 50W
- Material:Stainless Steel
- IP Rating:IP 65
- Packing:44x30x34cm/12 pcs



- Operating Voltage:12V
- Lamp:PAR36 12V 50W
- Material:Stainless Steel
- IP Rating:IP 65
- Packing:44x30x34 cm/ 12 pcs



XT2516A



- Operating Voltage:12V
- Lamp:PAR30 12V 50W
- Material:Stainless Steel
- IP Rating:IP 65
- Packing:42x28x15cm/6 pcs

UNDER WATER LIGHTS


# UNDER WATER LIGHTS INGROUND LIGHTS

**Hansin**  
Lighting



XT2501


Packing: 30 pcs/ctn  
(51x31x39 cm)  
G.W.: 19 kg/ctn



XT2502




XT2508A



Packing: 20 pcs/ctn  
(51x21x29 cm)  
G.W.: 18 kg/ctn



XT2508B




Packing: 20 pcs/ctn (51x21x29 cm)  
G.W.: 20 kg/ctn



XT2503


Packing: 30 pcs/ctn  
(51x31x39 cm)  
G.W.: 19 kg/ctn



XT2504




XT2510A



Packing: 20 pcs/ctn  
(51x21x29 cm)  
G.W.: 18 kg/ctn



XT2510B




Packing: 20 pcs/ctn (51x21x29 cm)  
G.W.: 20 kg/ctn



XT2505


Packing: 30 pcs/ctn  
(51x31x39 cm)  
G.W.: 19 kg/ctn



XT2506




XT2512A



Packing: 20 pcs/ctn  
(51x21x29 cm)  
G.W.: 18 kg/ctn



XT2512B



Packing: 20 pcs/ctn (51x21x29 cm)  
G.W.: 20 kg/ctn

UNDER WATER LIGHTS

**UNDER WATER LIGHTS  
INGROUND LIGHTS**


**Hansin**  
Lighting



XT2507A-1




XT2507A-2



XT2507A-3




XT2507A-4



XT2507A

Packing: 30 pcs/ctn  
(51x31x39 cm)  
G.W.: 181g/ctn



XT2507B

Packing: 30 pcs/ctn (51x31x39 cm)  
G.W.: 201g/ctn

UNDER WATER LIGHTS